

Notice of Allowability	Application No.	Applicant(s)	
	09/688,042	WATANABE ET AL.	
	Examiner	Art Unit	

Crystal J. Barnes 2121

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address--*

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to Supplemental Amendment After Final received 7 June 2005.
2. The allowed claim(s) is/are 1-4 and 6-14.
3. The drawings filed on 12 October 2000 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

1. The following is a Notice of Allowability in response to the Supplemental Amendment After Final received on 7 June 2005. Claim 5 has been cancelled. Claims 1 and 11 have been amended. Claims 1-4 and 6-14 remain pending in this application.

REASONS FOR ALLOWANCE

2. Claims 1-4 and 6-14 are allowed.

3. The following is an examiner's statement of reasons for allowance:

As per claims 1 and 11, the prior art of record taken alone or in combination fails to teach 3-D models of said peripheral equipment, said machine, and/or said part are classified by kinds, a plurality of different types are displayed on the screen for each of the classified kinds, and a 3-D model is selected from among the displayed types.

As per claims 2 and 12, the prior art of record taken alone or in combination fails to teach the 3-D model of the robot of which dimensions were adjusted by said adjusting means/unit, or the 3-D model of the robot and the 3-D model of peripheral equipment, a machine, or a part, which was selected by said selecting

means/unit, of which dimensions were adjusted by said adjusting means/unit, are displayed and arranged on the display screen, with at least a part of the system using the robot being approximated.

As per claims 3 and 13, the prior art of record taken alone or in combination fails to teach the 3-D model of the robot, and the 3-D model of the peripheral equipment, the machine, or the part, which was selected by said selecting means/unit, of which dimensions were adjusted by said adjusting means/unit, are displayed and arranged on the display screen with at least a part of the system using the robot being approximated.


As per claim 14, the prior art of record taken alone or in combination fails to teach the one or more 3-D models, which was selected by the selecting unit, is displayed and arranged on the display screen according to constraint conditions relating to at least one dimension line of the one or more 3-D models of the robot system.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Crystal J. Barnes whose telephone number is 571.272.3679. The examiner can normally be reached on Monday-Friday alternate Mondays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Knight can be reached on 571.272.3687. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Anthony Knight
Supervisory Patent Examiner
Group 3600

CJB
9 June 2005